



HEPATOPROTECTIVE MEDICINAL PLANTS OF AYURVEDA- A REVIEW

KSHIRSAGAR AD, MOHITE R, AGGRAWAL A S, AND SURALKAR UR*

Department of Pharmacology, Padm. Dr. D. Y. Patil Institute of Pharmaceutical Sciences and Research, Pimpri, Pune
Indira College of Pharmacy, Tathwade, Pune

Department of Pharmacology, AISSMS College of Pharmacy, Pune
Email: ksagar.ajay@gmail.com

ABSTRACT

Excessive drug therapy, environmental pollutants, hepatic cancer and alcoholic intoxicants are the main causes of liver disorders. In spite of consistent human effort and drug discovery, modern drug has very little to offer. In Ayurveda about 77 herbal drugs and in Unani nearly 42 herbal drugs are employed to cure liver diseases. The present review describes the literature survey on liver protective drugs; herbal drugs used as hepatoprotectives in Ayurvedic system of medicine and the Ayurvedic formulations employed to cure liver disorders.

Keywords: Hepatic disorder, Hepatoprotective herbs, Ayurvedic formulation.

INTRODUCTION

The liver is a vital organ of paramount importance involved in the maintenance of metabolic functions and detoxification of the exogenous and endogenous challenges like xenobiotics, drugs, viral infections and chronic alcoholism.¹ Diverse homeostatic mechanisms are affected if liver function is impaired, with potentially serious consequences. About 20,000 deaths occur every year due to liver diseases. Hepatocellular carcinoma is one of the ten most common tumors in the world with over 2,50,000 new cases each year. Although viruses are the main cause of liver diseases, excessive drug therapy, environmental pollution and alcoholic intoxication are not uncommon. Liver disease is a worldwide problem; Conventional drugs used in the treatment of liver diseases are sometimes inadequate and can have serious adverse effects. Herbal medicines are in great demand in the developed as well as developing countries for primary healthcare because of their wide biological and medicinal activities, higher safety margins and lesser costs.² Modern drugs have very little to offer for alleviation of hepatic ailments, whereas most important representatives of phytoconstituents used for liver diseases chiefly on regional basis include drugs like silymarine (*Silybum marianum*) and catechin (*Anacardium occidentalis*) in Europe, Glycyrrhizin (*Glycyrrhiza glabra*) in Japan and chizandrins(*Schizandra chinensis*) in China.³

DISCUSSION

A lot of medicinal plants, traditionally used for thousands of years, are present in group of herbal preparation of the Indian traditional health care system. In India, over 40 polyherbal commercial formulations reputed to have hepatoprotective action are being used. Scrutiny of the literature indicates that 160 phyto-constituents from 101 plant families have antihepatotoxic activity.^{4,5} Silymarin; a phytoconstituent from (*Silybum marianum*) has been widely used from ancient times because of its excellent hepatoprotective action. *Pichorriza kurroa* Royle contains kutkoside and picroliv which are potential hepatoprotectant.⁶⁻⁹ *Phyllanthus amarus* is another most important plant selected for clinical trials. The present paper describes literature survey on liver protective herbal drugs; herbal drugs used as a hepatoprotective in Ayurvedic system of medicine. From hundreds of year, the Ayurvedic formulations are being employed in Indian subcontinent to cure liver disorders, natural chemical constituents and inorganic salts are prescribed to treat the liver complications of minor to sevior type of liver toxicity. Liver protective herbal drugs contains a variety of chemical constituents like phenols, coumarins, lignans, essential oil, monoterpenes, carotenoids, glycosides, flavonoids, lipids, alkaloids and xanthines. Sesquiterpenes have been reported from *Atracyclodes maerocephala*. *Andrographis paniculata* and *Gardenia florida* are the only source of diterpenes and carotenoids respectively. Extract of about 25 different plants have been reported to cure liver disorders. Some herbal drugs such as like *Adenosma indiana*, aromatic amides

of *Clausena lansium*, Ginseng saponins and polysaccharides of *Auricularia auricula* and *Tremella fuciform* also possess hepatoprotective property (Table 1). In Ayurveda about 77 herbal drugs are used as hepatoprotective agents. There are different plants and their parts used for liver treatment, such as *Sanguinaria canadensis* (roots), grown in U.S.A. and Canada is advised in hepatic enlargement and in the hysterical without any organic lesion. *Tarazacum officinale* roots, found in Europe, Himalaya, Nigeria, North-West Provinces and North America, are advised in chronic liver infection.¹⁰ *Chelidonium majus* whole plant of Europe and North America is given in both acute and chronic hepatitis. When the patient suffers from gout in addition to hepatitis, *Colchicum* is useful. *Linseed* alone or with opium is used as poultices over the hepatic region in acute hepatitis. Hydastis is useful in malarial jaundice and that due to catarrh of the bile ducts. *Podophyllum* is useful in catarrhal or malarial jaundice when stool are clay colored and exhibit no trace of bile; stillinea is used to relieve torpid liver following intermittent fever had to cure jaundice. *Bryonia alba* root, a perennial plant of southern Europe and East Indies, is useful in various hepatic diseases chiefly hepatalgia. (Table 2).

Various drug formulations are employed in Ayurvedic system of medicine. The most widely used formulations are: *Jawarish amla*, *Jawarish al-tursh*, *Jawarish al-sirin*, *Jawarish mastagi*, *Dawa-e-jigarpith*, *Dawa-e-Karim*, *Salajin bajuru* and *Sharbat bajuri*. Most of these formulations contain *Andrographis paniculata* Nees, *Asteracantha longifolia* Nees, *Boerhaavia diffusa* Linn, *Cinchorium intybus* Linn, *Eclipta alba* Hassk, *Oldenlandia corymbosa* Linn, *Picrorrhiza kurroa*, *Roxe benth*, *Solanum nigrum* Linn., *Terminalia chebula* Retz, *Tinospora cordifolia* (Wild) Miers, etc. are widely used for liver complications. The marketed formulations such as Mandoor Bhasma and Loha Bhasma having single constituents are Bitters and vegetable tonics, e.g. gentian, are useful in functional disorders.¹⁰ Torpid liver with accompanying headache is treated with Livomyn. Ipecachunha is reported to promote the flow of bile and given in large doses to dysenteric patients suffering also with hepatitis. A formulation prepared by mixing *Nux vomica*, *podophyllum* and mercury is useful in small doses in hepatic diseases. The important formulations are Acilvan, Hep-10, Liva-16, Livodin, Livosin, Livotrit, Livocin, Vilmliv, Livomycin, Liv-52, Amlcure, Sanliv etc. Livin, Livokin, Livomin and Livosin formulations are composed of excessive number of herbal constituents while least number of drugs are present in Livertone, Stimuliv, Tefrolit and Vimliv. The preparation 'Trisoliv' possesses only *Andrographis paniculata* Nees. The quantity of each herbal drug varies in each formulation (Table.3). This review includes classification of hepatoprotective herbal drugs according to their major phytoconstituents, parts used and family. It also includes the standard marketed Ayurvedic formulation along with the name of their manufacturers. So, the present data will be a helpful guide for identifying the different parts of the medicinal plants for hepatoprotective potential in various liver complications.

Table 1: Table Shows Liver Protective Herbal Drug Along With Their Main Phytoconstituents.

Sr. no.	Main phytoconstituent	Liver protective drug	Part used
1	Phenols	1. <i>Arnica Montana Linn.</i> ¹¹ 2. <i>Cichorium intybus Linn.</i> ^{12,13} 3. <i>Picrorriza kurroa Royle</i> ¹⁴ 4. <i>Syzygium aromaticum Linn.</i> ¹⁵	Plant Plant Root Plant
2	Coumarin	1. <i>Armillaria tabescens Scop.</i> ¹⁶ 2. <i>Artemisiae capillaries herba</i> ¹⁷ 3. <i>Hemidesmus indicus</i> ¹⁸	Fungus Plant Roots
3	Lignans	1. <i>Schisandra chinensis Turcz.</i> ¹⁹ 2. <i>Schisandra sphenanthera</i> ²⁰ 3. <i>Silybum Marianum Gaertn</i> ^{21,22} 4. <i>Thujopsis dolabrata</i> ²³	Fruit Fruit Seed Leaves
4	Essential oil	1. <i>Anethum graveolens Linn.</i> ²⁴ 2. <i>Apium graveolens Linn.</i> ^{25,26} 3. <i>Azadirachta indica</i> ²⁷ 4. <i>Carapa guianensi Aublet</i> ²⁸ 5. <i>Cynara scolymus Linn.</i> ²⁹ 6. <i>Foeniculum vulgare Mill.</i> ^{30,31} 7. <i>Petroselinum sativum Hoffm.</i> ³² 8. <i>Pimpinella anisum Linn.</i> ³³	Fruit Seed Leaves Seed Leaves, Flower Plant Plant Plant
5	Monoterpens	1. <i>Murraya koenigii Linn.</i> ³⁴	Rhizome
6	Sesquiterpens	2. <i>Atractylodis lanceae Rhizoma</i> ³⁵ 3. <i>Lindera strychnifolia (Sieb. & Zucc.)</i> ³⁶	Root Leaves
7	Diterpens	1. <i>Andrographis paniculata Nees</i> ^{37,38}	Whole plant
8	Triterpens	1. <i>Glycyrrhiza glabra Linn.</i> ^{39,40} 2. <i>Hedysotis corymbosa Linn.</i> ⁴¹ 3. <i>Protium heptaphyllum Aubl.</i> ⁴² 4. <i>Sambucus chinesis Lindley</i> ⁴³ 5. <i>Tetrapanax papyriferus</i> ⁴⁴	Root Whole plant Trunkwood Plant Leaves
9	Carotenoids	1. <i>Gardenia florida</i> ⁴⁵	Fruit
10	Glycosides	1. <i>Aloe barbadensis Mill</i> ⁴⁶ 2. <i>Dianthus superbus Linn.</i> ⁴⁰ 3. <i>Panax ginseng</i> ⁴⁰ 4. <i>Polygonum cuspidatum</i> ⁴⁷ 5. <i>Polygonum multiflorum Thunb.</i> ⁴⁷	Leaves Plant Rhizome Root Root
11	Flavonoids	1. <i>Acacia catechu Willd.</i> ⁴⁸ 2. <i>Aegiceras corniculatum</i> ⁴⁹ 3. <i>Artemisia capillaries Thunb.</i> ¹⁶ 4. <i>Calotropis gigantean R. Br.</i> ⁵⁰ 5. <i>Canscora decussate Roxb.</i> ⁵¹ 6. <i>Cassia occidentalis Linn.</i> ⁵² 7. <i>Clausena dentata Willd.</i> ⁵³ 8. <i>Garcinia kola Hecke</i> ⁵⁴ 9. <i>Helichrysum arenarium Linn.</i> ⁵⁵ 10. <i>Mentha longifolia Linn.</i> ⁵⁶ 11. <i>Phyllanthus emblica Linn.</i> ⁵⁸ 12. <i>Scrophularia grossheimi</i> ⁵³ 13. <i>Tagetes patula Linn.</i> ⁵⁴ 14. <i>Uncaria gambir (Hunter)Roxb</i> ⁵⁵	Hard wood Stem Plant Leaves Plant and Juice Leaves Plant Inflorescences Plant Leaves Leaves Plant Seeds Heartwood
12	Alkaloids	1. <i>Aristolochia clematis</i> ⁶¹ 2. <i>Fumaria parviflora Lam.</i> ⁶² 3. <i>Fumaria officinalis Linn.</i> ⁶² 4. <i>Herniaria glabra Linn.</i> ⁶³ 5. <i>Peumus boldus Molina.</i> ⁶⁴ 6. <i>Physalis peruviana</i> ⁶⁵	Plant Plant Plant Whole Plant Plant Plant
13	Xanthines	1. <i>Coffea Arabica</i> ⁶⁶ 2. <i>Thea sinensis</i> ⁶⁷	Seed Leaves

Table 2: Table Shows Hepatoprotective Medicinal Plants Mentioned In Ayurveda

Sr. no.	Scientific Name	Family	Parts used
1	<i>Achille millefolium Linn.</i>	Compositae	Plant
2	<i>Aconitum heterophyllum wall.</i>	Ranunculaceae	Root
3	<i>Aegle marmelos Corr.</i>	Rutaceae	Leaves
4	<i>Aegiceras corniculatum</i>	Aegicerataceae	Stem
5	<i>Allium sativum Linn.</i>	Liliaceae	Bulb
6	<i>Aloe barbadensis Mill.</i>	Ranunculaceae	Plant
7	<i>Aloe perry Baker.</i>	Ranunculaceae	Plant
8	<i>Andrographic paniculata Nees.</i>	Acanthaceae	Plant
9	<i>Aphanamixis polystachya Wall. Parkar</i>	Meliaceae	Bark
10	<i>Apium graveolens Linn.</i>	Umbelliferae	Seeds

11	<i>Asteracantha longifolia</i> Nees.	Acanthaceae	Leaves, root & seeds
12	<i>Azadirachta indica</i> A. Juss	Meliaceae	Exudates
13	<i>Berberis lycium</i> Royle.	Berberidaceae	Leaves
14	<i>Boerhaavia diffusa</i> Linn.	Nyctaginaceae	Root
15	<i>Bryonia alba</i> Linn.	Cucurbitaceae	Root
16	<i>Calotropis gigantea</i> (Linn)R.Br.	Asclepiadaceae	latex, flower, stem
17	<i>Canavalia ensiformis</i> DC	Leguminosae	Root
18	<i>Carapa Guianensis</i> Aublet.	Meliaceae	Seed
19	<i>Carthamus tinctorius</i> Linn.	Compositae	Flower
20	<i>Cephaelis ipecacuanha</i> Rich.	Rubiaceae	Draught
21	<i>Cichorium intybus</i> Schard.	Compositae	Plant
22	<i>Citrullus colocynthis</i> Schrad.	Cucurbitaceae	Root
23	<i>Clausena dentata</i> Willd.	Rutaceae	Stem bark
24	<i>Colchicum luteum</i> Baker.	Liliaceae	Corma
25	<i>Coptis teeta</i> Wall.	Ranunculaceae	Rhizome
26	<i>Cosmpstigma racemosa</i> Weight.	Asclepidaceae	Root, Bark
27	<i>Croton oblongifolius</i> Roxb.	Euphorbiaceae	Bark
28	<i>Cuscita reflexa</i> Roxb.	Convolvulaceae	Stem
29	<i>Cyperus pertunuis</i>	Cyperaceae	Plant
30	<i>Delphinium zallii</i> Atich & Hemse	Ranunculaceae	Plant
31	<i>Desmodium biflorum</i> Linn.	Fabaceae	Whole plant
32	<i>Eclipta alba</i> Hassk.	Compositeae	Plant juice
33	<i>Emblica officinalis</i> Gaertn.	Euphorbiaceae	Fruit
34	<i>Euphorbia neriifolia</i> Linn.	Euphorbiaceae	Fruit
35	<i>Ferula alliacea</i> boiss.	Umbelliferae	Gum resin
36	<i>Ficus asperrima</i> Roxb.	Moraceae	Juice and bark
37	<i>Ficus benjamina</i> Linn.	Moraceae	Bark juice
38	<i>Ficus carica</i> Linn.	Moraceae	Fruit
39	<i>Ficus heterophylla</i> Linn. F.	Moraceae	Root juice
40	<i>Flacouria indica</i> Merr.	Flacourtiaceae	Bilangra
41	<i>Fumaria officinalis</i> Linn.	Fumariaceae	Whole plant
42	<i>Fumaria parviflora</i> Lam.	Fumariaceae	Whole plant
43	<i>Garcinia indica</i> chois.	Guttiferae	Fruit
44	<i>Garcinia kola</i> Heckel.	Guttiferae	Seeds
45	<i>Gentiana kurroo</i> Royld.	Gentianaceae	Root
46	<i>Gymnema sylvestre</i> R. Br.	Asclepiadaceae	Leaves
47	<i>Hedyotis corymbosa</i> Linn.	Rubiaceae	Whole plant
48	<i>Hemidesmus indicus</i>	Asclepiadaceae	Roots
49	<i>Hermodactylus gol</i>	Colchicaceae	Tubers
50	<i>Herniaria glabra</i> Linn.	Caryophyllaceae	Flowers
51	<i>Hygrophila spinosa</i> T. Anders	Acanthaceae	Leaves, roots, stem, seeds
52	<i>Hyssopus officinalis</i> Linn.	Labiatae	Plant
53	<i>Jatropha gossypifolia</i> Linn.	Euphorbiaceae	Leaves
54	<i>Lawsonia inermis</i> Linn.	Lythraceae	Bark
55	<i>Luffa echinata</i> Roxb.	Cucurbitaceae	Fruit and seed
56	<i>Lycopersicon esculentum</i> Mill.	Solanceae	Fruit
57	<i>Mentha longifolia</i> Linn.	Labiatae	Leaves
58	<i>Momordica cochinchinensis</i> spreng.	Cucurbitaceae	Fruit
59	<i>Moringa oleifera</i> Lam.	Moringaceae	Root
60	<i>Murraya koenigii</i> Linn.	Rutaceae	Leaves
61	<i>Myristica fragrans</i> Houtt.	Myristicaceae	Seed
62	<i>Nelumbo mucifera</i> Gaertn.	Nymphaeae	Flower
63	<i>Paeonia emodi</i> Wall.	Ranunculaceae	Tubers
64	<i>Phyllanthus niruri</i> Linn.	Euphorbiaceae	Plant
65	<i>Picrorhiza kurroa</i> Royle.	Scrophulariaceae	Root
66	<i>Pinus roxburghii</i> Sargent	Pinaceae	Volatile oil
67	<i>Podophyllum emodi</i> Wall.	Berberidaceae	Rhizome
68	<i>Portulaca oleracea</i> Linn.	Potulaceae	Herb
69	<i>Protium heptaphyllum</i> March.	Burseraceae	Trunk wood
70	<i>Prunus armeniaca</i> Linn.	Rosaceae	Fruit
71	<i>Pyrenthrum indicum</i> DC.	Compositae	Flowers
72	<i>Rhem emodi</i> Wall.	Polygonaceae	Rhizome
73	<i>Rumex crispus</i> Linn.	Polygonaceae	Root
74	<i>Solanum dulcamara</i> Linn.	Solanaceae	Berries
75	<i>Solanum indicum</i> Linn.	Solanaceae	Fruit, plant
76	<i>Solanum nigrum</i> Linn.	Solanaceae	Dried fruit
77	<i>Sphaeranthus hirtus</i> Willd.	Compositae	Herb
78	<i>Swertia chirata</i> Buch-Ham.	Gentianaceae	Plant
79	<i>Symplocos racemosa</i> Roxb.	Symplocaceae	Bark
80	<i>Taraxacum officinale</i> Weber.	Compositae	Root
81	<i>Terminalia chebula</i> Retz.	Combretaceae	Fruit
82	<i>Tinospora cordifolia</i> Willd.	Menispermaceae	Stem
83	<i>Trichosanthes cordata</i> Roxb.	Cucurbitaceae	Root

84	<i>Trigonella foenumgraecum</i> Linn.	Leguminosae	Seed
85	<i>Triticum sativum</i> Lam.	Gramineae	Roots
86	<i>Vitex negundo</i> Linn.	Verbenaceae	Plant
87	<i>Woodfordia fruticosa</i> Kurz.	Lythraceae	Flower
88	<i>Zinziber officinale</i> Rose.	Zingiberaceae	Rhizome

Table 3: Table Shows Ayurvedic Formulations Used In Liver Complications

Sr. No.	Plants used in formulation	Formulation containing the plant (Manufacturer)
1.	<i>Achillea millefoliiven</i> Linn.	Acilvan [1], Hefiaye [17], Amlycure [24], Liv-52 [3], Livex [4], Suliv [5], Neoliv-100 [32], Syliv [33]
2.	<i>Aconitum heterophyllum</i> wall.	Livex [4]
3.	<i>Acorus calamus</i> Linn.	Livin [2]
4.	<i>Adhatoda vasica</i> Nees.	Livol [21]
5.	<i>Aloe</i>	Livarin [6]
6.	<i>Aloe barbadensis</i> Mill.	Hepa-10 [7], Livodin [8], Adliv-75 [9], Amlycure [24] Biligen [10]
7.	<i>Andrographis paniculata</i> Nees.	Hepa-10[7]- Kalmegh compound[11], Liva[12], Livarin [6], Livona [3], Livergen [4], Livosin [7], Livospin [25], Lierin [15], livotone[26], Livotrit [27], Livin [16], Livodin [8], Livokin [20], Livol [21], Livomin[22], Livoped[23], Stimuliv[28], Tefroliv [3], Trisoliv[30], Jaundex syrup [36]
8.	<i>Andropogon muricatus</i> Retz.	Adliv -75 [9]
9.	<i>Aphnamixis polystachya</i> (Wall.) Parker	Livin [16], Livodin [8], Hepa-10 [7], Livomin[22], Livospin [25], Jaundex syrup [36], Triguliv-15 [37], Biligen [14]
10.	<i>Apium graveolens</i> Linn.	Kalmegh compound [11], Liva [12], Livergen [14], Livokin [20], Livoped [23], Livotone [26]
11.	<i>Artemisia absinthium</i> Linn.	Livomap [35]
12.	<i>Asteracantha longifolia</i> Nees. Syn. <i>Hygrophila spinosa</i> T.	Adliv-75 [9], Biligen [14], Liva-16 [8], Livergen [14], Livodin [8], Livatona [13], Livokin [20], Livotone [26], Syliv [33]
13.	<i>Avena sativa</i> Linn.	Livosin [7]
14.	<i>Baliospermum montanum</i> Muell. Arg	Livin [16]
15.	<i>Berberis lyceum</i> Royle.	Amlycure [24], Liva [12], Liv-77 [19], Livokin [20], Livomap [35], Livotrit [1], Livol [21], Triguliv-15 [37]
16.	<i>Boerhaavia diffusa</i> Linn.	Acilvan [1], Amlycure [24], Hepex [17], Hipex [18], Liv-77 [19], Jaundex syrup [35], Liva [12], Liva-15 [8], Livomap [35], Triguliv-15 [37], Livarin [6], Livin [16], Livodin [8], Livomycin [22], Neolin-100 [32], Vimliv [34]
17.	<i>Calotropis gigantea</i> (Linn) R. Brex Ait	Jaundex syrup [36]
18.	<i>Carica papaya</i> Linn.	Liva [12], Livosin [7]
19.	<i>Capparis spinosa</i> Linn.	Acilvan [1], Liv-52 [3], Livomyn [22], Syli[33]
20.	<i>Carthamus tinctorius</i> Linn.	Triguliv-15 [37]
21.	<i>Carum copticum</i> Benth. Syn. <i>Trachyspermum ammi</i> (Linn.) Sprague	Adliv-75 [9], Kalmegh compound [11], Livokin [20], Syliv [33]
22.	<i>Casearia esculenta</i> Roxb.	Avilvan [1]
23.	<i>Cassia angustifolia</i> Vahl.	Adliv-75 [9], Liva-16 [8], Livatona [13], Livergen [14], Lierin [15], Livodin [8], Liva [12], Livosin [7]
24.	<i>Cassia fistula</i> Linn.	Livarin [6]
25.	<i>Cassia obtusifolia</i> Linn.	Amlycure DS [24]
26.	<i>Cassia occidentalis</i> Linn.	Acilvan [1], Hipex [18], Livomycin [22], Liv-52 [3], Livex [4], Neoliv-100 [32], Syliv [33]
27.	<i>Cassia sophera</i>	Livin [16]
28.	<i>Cassytha filiformia</i> Linn.	Amlycure [24]
29.	<i>Cedrus deodara</i> (Roxb.) Loud.	Livomap [35]
30.	<i>Centella asiatica</i> (Linn.) Urban	Adliv-75 [9]
31.	<i>Cichorium intybus</i> Linn.	Acilvan [1], Amlycure [24], Hipex [18], Liv-52 [3], Liv-77 [19], Livokin [20], Neoliv-100 [32], Syliv [33], Vimliv [34]
32.	<i>Citrullus colocynthis</i> Scharak.	Livin [16]
33.	<i>Crataeva religiosa</i> Hook and	Livomap [35]

	Thoms. non Forst. f. syn. <i>Crataeva nurvala</i> Buch. Ham.	
34.	<i>Eclipta alba</i> Hassk.	Acilvan [1], Amlycure [24], Hepa-10 [24], Liv-77 [19], Liva-16 [8], Livin [17], Livodin [8], Livokin [20], Livol [21], Livomycin [22], Livosin [7], Livotrit [27], Stimulin [28], Tefroli [29], Vimliv [34], Trignliv-15 [37]
35.	<i>Embelia ribes</i> Burm. f.	Hipex [18], Livex [4], Livodin [8], Livomin[22], Livosin [7], Livospin [25], Livotrit [27]
36.	<i>Ferula foetida</i> Regel.	Livosin [7]
37.	<i>Fumaria officinalis</i> Linn.	Amlycure [24], Hepa-10 [7], Livomin[22], Stimulin [28], Trignliv-15 [37]
38.	<i>Glycyrrhiza glabra</i> Linn.	Livatona [13], Livomap[35]
39.	<i>Grewia asiatica</i> Linn.	Trignliv-15 [37]
40.	<i>Heliotropium strigosum</i> .	Liv-17 [19]
41.	<i>Helleborus niger</i> Linn.	Trignliv-15 [37], Amlycure [24]
42.	<i>Hemidesmus indicus</i> R. Br.	Livosin [7]
43.	<i>Holarrhena antidysenterica</i> Wall.	Adliv-75 [9], Livodin [8], Livotone [26], Livosin [7], Livotrit [27]
44.	<i>Ipomoea turpethum</i> R. Br.	Biligen [14], Amlycure [24], Livomin[22], Livospin [25], Livokin [20], Livin [16], Livotrit [27]
45.	<i>Jatrorrhiza palmate</i> Miers.	Livin [16]
46.	<i>Lawsonia inermis</i> Linn.	Livin [6]
47.	<i>Latssea chinensis</i> Lam.	Trignliv-15 [37]
48.	<i>Luffa echinata</i> Roxb.	Hepia-10[7]
49.	<i>Melia azadirachta</i> Linn.	Lierin [31], Livomap[35]
50.	Syn. <i>Azadirachta indica</i> A.Juss.	
51.	<i>Mentha viridis</i> .	Livosin [7]
52.	<i>Moringa Pterygosperma</i> Gaertn.	Livomap[35]
53.	<i>Ocimum sanctum</i> Linn.	Amlycure [24], Livin[16], Acilvan [1], Livomin[22], Tefroli [29]
	<i>Oldenlandia corymbosa</i> Linn.	Lierin [15], Liva-16 [8], Livatona [13], Livodin[8], Livokin [20], Livoped [23], Livospin [24], Syliv [33]
54.	<i>Panicum milliare</i> Lam.	Amlycure [24]
55.	<i>Phyllanthus emblica</i> Linn.	Hepex , Livertone , Livol, Livosin , Neoliv-100 , Vimlin
	Syn. <i>Emblica officinalis</i> Gaertn.	
56.	<i>Phyllanthus amarus</i> Linn.	Hepex [17], Livomap[35], Amlycure [24], Trignliv-15 [37], Jaundex syrup [36]
57.	<i>Picrorhiza kurroa</i> Royle ex Benth.	Acilvan [1], Liverin [6], Lierin [15], Livertone [31], Livomap[35], Livokin [20], Livol [1], Livotrit [27], Vimlin [34]
58.	<i>Piper chaba</i> Hunter.	Livin [16]
59.	<i>Piper longum</i> Linn.	Lovex [4], Livomap[35]
60.	<i>Piper nigrum</i> Linn.	Liva-16 [8], Livodin [8]
61.	<i>Plumbago indica</i> Linn.	Amlycure [24]
62.	<i>Plumbago zeylanica</i> Linn.	Livokin [20], Livomin[22], Liva [12], Livin [16], Livospin [25], Livotrit [27]
63.	<i>Podophyllum</i>	Hepa-10 [7], Livosin [7]
64.	<i>Prunus domestica</i> Linn.	Liv-77[25]
65.	<i>Ptychotis ajowan</i> DC.	Hepa-10 [7]
66.	<i>Rhammus wightii</i> W. and A.	Livotone [26], Livotrit [27]
67.	<i>Rheum palmatum</i> Linn.	Livertone [31]
68.	<i>Ricinus communis</i> Linn.	Jaundex [36]
69.	<i>Salsola kali</i> Linn.	Trignliv-15 [37]
70.	<i>Salvadora persica</i> Linn.	Livin [16]
71.	<i>Salvia plebeian</i> R. Br.	Livospin [25]
72.	<i>Solanum nigrum</i> Linn.	Acilvan [1], Amlycure [24], Hepa-10 [7], Hepex [17], Hipex [18], Liv-52 [3], Liva [12], Liva-16 [8], Liverin [6], Livex [4], Livokin [20], Livomin[22], Neoliv-100 [32], Syliv [33], Trignliv-15 [37]
73.	<i>Solanum Lanthocarpum</i> Schrad and Wendl.	Adliv-75 [9], Liva-16 [8], Livodin [8]
74.	<i>Swertia angustifolia</i> Buch. Ham.	Livospin[25]
75.	<i>Swertia chirata</i> Buch. Ham.	Biligen [14], Livex [4]
76.	<i>Swertia decussate</i> Nimmo ex Grah.	Livomin[22], Amlycure [24]
77.	<i>Tamarix gallica</i> Linn.	Acilvan [1], Liv-52 [3], Livex [4], Neoliv-100 [32], Syliv [33]
78.	<i>Tecoma undulate</i> G. Don.	Liverin [6], Neoliv-100 [32], Livomap[35]
79.	<i>Tephrosia hirta</i>	Liva [12], Trignliv-15 [37]
80.	<i>Tephrosia purpurea</i> Linn. Pers.	Livin [16], Livokin [20], Livomin[22], Livospin [25], Neoliv-100[32], Livomap[35], Amlycure [24], Tefroli [29]
81.	<i>Terminalia arjuna</i> W. and A.	Acilvan [1], Liv-52 [3], Liva [12], Livokin [20], Livosin [7], Neoliv-100 [32], Syliv [33]
82.	<i>Terminalia belerica</i> Roxb.	Livertone [31], Livol [21], Livosin [7], Amlycure [24]
83.	<i>Terminalia chebula</i> Retz.	Hipex [18], Livertone [31], Livin [16], Livokin [20], Livol [21], Tefroli [29], Terminalia chebula [7]
84.	<i>Tinospora cordifolia</i> Willd. Miers	Acilvan [1], Liv-77 [19], Liva-16 [8], Livin [17], Livodin [8], Livol [21], Livomin[22], Livotrit [27], Livomap[35], Trignliv-15 [37]
85.	<i>Trachyspermum ammi</i> Linn.	Biligen [14], Liva [12], Livatona [13], Livergin [14], Livin [16], Livoped [23]

86.	<i>Trigonella foenum - graecum</i> Linn.	Biligen [14], Liv-77 [19], Livatona [13], Livergin [14], Livin [16], Livoped [23], Livokin [20], Livotone [26]
87.	<i>Vernonia anthelmintica</i> Willd. Syn. <i>Centra therum</i> <i>anthelminticum</i> Willd. Kuntze.	Liva-16 [8]
88.	<i>Withania somnifera</i> Dunal.	Livosin [7]
89.	<i>Zingiber officinalis</i> Rose.	Livin [16], Livomap[35], Livomycin[22], Livosin [7]

The number in the square bracket indicates the manufacturer.

Note: The List of Manufacturers

- [1] = Acis laboratories, Kanpur
- [2]= H. V. Pharm., Rajkot (Gujarat)
- [3] = Himalaya Drugs Co., Bombay
- [4]= Bhartiya Aushadhi Nirmanshala, Rajkot (Gujarat)
- [5]= Systemic Pharmaceuticals, Allahabad
- [6] = Patiala Ayurvedic Pharm., Sirhind
- [7] = Jupiter Pharmaceuticals Pvt. Ltd., Calcutta
- [8] = Madona Pharmaceuticals Research, Calcutta
- [9] = Abala Drugs House, Calcutta
- [10] = Standard Pharma Remedies, Calcutta
- [11] = Bengal Chemicals Pharmaceuticals Pvt. Ltd., Calcutta
- [12] = Herbid (India) Pvt. Ltd., Calcutta
- [13] = Scientific Research Industries Pvt. Ltd., Calcutta
- [14] = Standard Pharmaceuticals, Calcutta
- [15] = Herbs Era Pharmaceutical Udayrajpur (West Bengal)
- [16] = Araya Aushadhi Pharmaceutical Works, Indore
- [17] = The Anglo-French Drug Co. (Eastern) Ltd., Bombay
- [18] = H. V. Pharmaceuticals, Rajkot (Gujarat)
- [19] = Gobe Pharmaceuticals, Jalandhar City (Punjab)
- [20] = Herbo-Med, Calcutta
- [21] = Vedic Pharm, Calcutta
- [22] = Charak Pharmaceuticals (India) Pvt. Ltd., Umbargaon (Gujarat)
- [23] = Anakem Laboratories Pvt. Ltd., Calcutta
- [24] = Aimil Pharmaceuticals Pvt. Ltd., Calcutta
- [25] = Herbals (APS) Pvt. Ltd., Patna
- [26] = East India Pharmaceutical Works Ltd., Calcutta
- [27] = Zandu Pharmaceutical Works Ltd., Bombay
- [28] = Franco-Indian Pharmaceutical Works Ltd., Bombay
- [29] = TTL Pharma Pvt. Ltd., Madras
- [30] = Medley Pharm Pvt. Ltd., Bombay
- [31] = Gambers Laboratories, Bombay
- [32] = Bharat Pharmaceuticals, Delhi
- [33] = Systemic Pharmaceuticals, Allahabad
- [34] = Solumiks, Bombay
- [35] = Maharishi Ayurveda Corporation Ltd., New Delhi
- [36] = D. K. Sandu Bros. Chember Pvt. Ltd., Bombay
- [37] = Triguna Ayurveda Research Lab, New Delhi

CONCLUSION

Considering the enormous biodiversity resources of Indian traditional system and the high incidence of liver complications, the present review extensively focuses on collection of data for different plants, which are available in India. These medicinal plants claimed as liver protective agents are classified according to their biological source, phytoconstituents; part used and plants in formulations. People from India are still dependent on conventional therapies to treat liver complications. Because of their easy availability and low cost. Since large mass of populations used preferable herbal preparation, therefore there is need to evaluate for their proportion, their dose and rational behind combination in different polyhedral preparation.

REFERENCES

- Dienstag JL, Isselbacher KJ. Toxic and drug-induced hepatitis, 15th edⁿ. Chapter 296, In: Harrison's Principles of Internal Medicine. Braunwald E, et al, The McGraw-Hill Companies, In, 2001; 2:737-1742.
- Chattopadhyay RR, Bhattacharyya SK, *Terminalia chebula*: An update, Pharmacog 2007; 1(1):439-45.
- Hikino H, Kiso Y. Natural products for liver diseases. Economic and Medicinal Plant Research. Vol. II, Academic Press, London 1988; p 39-67.
- Handa SS, Sharma A , Chakraborti. Natural products and plants as liver protecting drugs. Fitoterapia 1986; 57:307-49.
- Sharma A, Singh RT, Sehgal V, Handa SS. Antihepatotoxic activity of some plants used in herbal formulations. Fitoterapia, 1991; 62: 131.
- Dwivedi Y, Rastogi R, Chander R, Sharma SK, Kapoor NK, Dhawan BN. Hepatoprotective activity of picroliv against carbon tetrachloride induced liver damage. Indian J. Med. Res 1990; 92:195-200 .
- Dwivedi Y, Rastogi R, Garg NK, Dhawan BN. *Picroliv affords* protection against thioacetamide-induced hepatic damage in rats. Planta Med 1991; 57(1):25-8.
- Tripathi SC, Patnaik GK, Dhawan BN. Hepatoprotective activity of picroliv against alcohol-carbon tetrachloride induced damage in rats. Indian J. Pharmacol 1991; 23(3):143-48.
- Visen PKS, Shukla B, Patnaik GK, Kapoor NK, Kaul S, Dhawan BN. Hepatoprotective activity of active principle of Picrorhiza kurroa on rat hepatocytes against paracetamol toxicity. Drug Development Research 2004; 22 (3):209-19.
- Khory RN, Katrahi NN. Materia Medica of India and their therapeutics. Neeraj Publishing House, Delhi ;1981.
- Shakun NP, Zhulkevich VA. Cholagogue action of Arnica montana. Farmakol Toksikol 1955; 18(2) :45-6.
- Gilani AH, Janbaz KH, Javed MH. Hepatoprotective activity of Cichorium intybus, An indigenous medicinal plant. Medical science research 1993; 21(4).151-52.
- Gadgoli C ,Mishra SH. Preliminary screening of Achillea millefolium, Cichorium intybus and Capparis spinosa for anti-hepatotoxic activity. Fitoterapia 1995; 66:319- 23.
- Basu K, Dasgupta B, Bhattacharya SK, Debnath PK. Chemistry and pharmacology of apocynin, isolated from Picrorhiza kurroa Royle ex Benth. Current Science 1971; 40(22):603-4.
- Rahman M, Megeid A. Hepatoprotective Effect of (*Saponaria officinalis*), Pomegranate Peel (*Punica granatum L*) and Cloves (*Syzygium aromaticum linn*) on mice with CCl₄ Hepatic Intoxication. World Journal of Chemistry 2006; 1(1): 41-6.
- Lu ZM, Tao WY, Zou XL, Fu HZ, Ao ZH. Protective effects of mycelia of *Antrodia Camphorata* and *Armillariella tabescens* in submerged culture against ethanol induced hepatic toxicity in rats. J.Ethnopharmacol 2007; 110(1):160-4.
- Lee HS, Kim HH, Ku SK. Hepatoprotective Effects of *Artemisiae capillaris* herba and *Picrorrhiza* rhizoma Combinations on carbon tetrachloride- induced subacute liver damage in rats. J. Ethnopharmacol 2008; 28(4):270-7.
- Mookan P, Rangasamy A, Thiruvengadam D. Protective effect of *Hemidesmus indicus* against rifampicin and isoniazid-induced hepatotoxicity in rats. Fitoterapia 2000; 71: 55-59.
- Maeda S, Sudo K, Aburada M, Ikeya Y, Yoshioka I, Harada M. Pharmacological studies on Schizandra fruit. I. General pharmacological effects of gomisin A and schizandrin (author's transl). Yakugaku Zasshi 1981; 101:1030-41.
- Yu LX. Bioactivity of neolignans from *Fructus schizandrae*. Rio de janero 1991; 86(2): 31-37.
- Hikino H, Kiso Y, Wagner H, Fiebig M. Antihepatotoxic actions of flavonolignans from *Silybum marianum* fruits. Planta Medica 1984;50 (4):248-50.
- Tasduq SA, Peerzada K, Koul S, Bhat R, Johri RK. Biochemical manifestations of anti-tuberculosis drugs induced hepatotoxicity and the effect of silymarin. Hepatol Res 2005; .31(3):132-5.
- Hikino H, Sugai T, Kanno C, Hashimoto I, Treasma S, Hirono I. Liver protective Principle of *Thujopsis dolabrata* leaves. Planta Medica 1979; 36(2):156-63.
- Shanthasheela R, Chitra R, Vijayachitra M. Evaluation of Hepatoprotective Activity of combination of *Anethum graveolens* and *Agave Americana* on CCL₄ Intoxicated Rats. Indian Drugs-Bombay. 2007; 44(12): 950-52.
- Sing A, Handa SS. Hepatoprotective activity of *Apium graveolens* and *Hydrophila auriculata* against Paracetamol and thioacetamide intoxication in rats. J. Ethnopharmacol 1995; 49(3):119-26.
- Subramonian A, Pushpangadan P. Development of phytomedicines for liver disease. Indian Journal of pharmacology 1999; 31:166-75.
- Kale BP, Kothekar MA, Tayade HP, Jaju JB, Mateenuddin M. Effect of aqueous extract of *Azadirachta indica* leaves on hepatotoxicity induced by antitubercular drugs in rats. Indian Journal of Pharmacology 2003; 35:177-80.
- Costa-Silva JH, Lima CR, Silva EJ, Araújo AV, Fraga MC, Ribeiro E Ribeiro A et al. Acute and subacute toxicity of the *Carapa guianensis* Aublet (Meliaceae) seed oil. Journal of Ethnopharmacology 2008; 116: 495-500.
- Adzet T, Camarasa J, Laqua JC. Hepatoprotective activity of polyphenolic compounds from *Cynara scolymus* against CCl₄ toxicity in isolated rat hepatocytes. J. Nat. Prod 1987; 50(4):612-17.
- Ozbek H, Ugras S, Dulger H, Bauram I, Tuncer I, Ozturk G. Hepatoprotective effects of *Foeniculum Vulgare* essential oil. Fitoterapia 2003; 74(3):317-19.
- Tognolini M, Ballabeni V, Bertoni S, Bruni R, Impicciatore M ,Barocelli E. Protective effect of *Foeniculum vulgare* essential oil and anethole in an experimental model of thrombosis. Pharmacological Research 2007; 56(3): 254-60.
- Luzmila T, Guija Y, Emilio. Efecto antioxidante y hepatoprotector del *Petroselinum sativum* (perejil) en ratas, con intoxicación hepática inducida por paracetamol. An. Fac. med., dic 2007; 68(4):333-43.
- Marques V, Farah A. Chlorogenic acids and related compounds in medicinal plants and infusions. Food Chemistry 2009;113(4):1370-76.
- Einstein JW, Mathias JK, Das K, Nidhiya ISR and Sudhakar G. Comparative hepatoprotective activity of leaf extracts of *Murraya koenigii* from indian subtropics, India J. Nat. Prod. 2006; 23(1): 13.
- Kiso Y, Tohkin M, Hikino HL. Antihepatotoxic principles of *Atractylodes* rhizomes, J. Nat. Prod. 1983; 46 :651-54
- Kouno I, Hirai A, Fukushige A, Jiang ZH , Tanaka T. New Eudesmane Sesquiterpenes from the Root of *Lindera strychnifolia*, J. Nat. Prod. 2001; 64(3): 286-88.
- Choudhary BR, Poddar MK. Andrographolide and Kalmegh (*Andrographis paniculata*) extract:*in vivo* and *in vitro* effects on hepatic lipid peroxidation. Methods Find Exp Clin Pharmacol. 1984; 6(9):481-5.
- Handa SS, Sharma A. Hepatoprotective andrographolide from *Andrographis paniculata*. Indian J. Med. Res. B, 1990; 92:276-92.
- Tanaka N, Yamamura Y, Santa T, Sawada Y. Pharmacokinetic Profiles of glycyrrhizin in patients with Chronic Hepatitis. Biopharmaceutics and Drug Disposition, 2006;14(7):609-14.
- Kumarpal S, Chalamalasetty BS, Choudhuri G. Hepatitis C; a major health problem in india.Current Science, 2002; 83(9):1058-59.

41. Sadasivan S, Latha PG, SasiKumar JM, Rajashekaran S, Shyamal S, Shine VJ. Hepatoprotective studies on *Hedyotis corymbosa* (L.) Lam. Journal of Ethnopharmacology, 2006; 106: 245-49 .
42. Rao S et. al. Protective effect of α - amyrin and β - amyrin, a triterpene mixture from *Protium heptaphyllum* (Aubl.) March. Trunk wood resin, against acetaminophen - induced liver injury in mice. Journal of Ethnopharmacology, 2005; 98: 103-8.
43. Zhu SX, Liao QF, Wana XS, Qui YW, Yana W, Zhu Q. Research on active part of *Sambucus chinensis* against hepatitis mice induced by CCL₄. Zhong Yao Cai, 2008; 31(8):1216-9.
44. Sohn SH, Lee EY, Lee JH, Kim Y, Shin M, Hong M ,Bae H. Screening of herbal medicines for recovery of acetaminophen-induced nephrotoxicity. Environmental Toxicology and Pharmacology 2009; 27(2):225-30.
45. Chandan BK, Saxena AK, Shukla S, Sharma N, Gupta DK, Suri KA, et. al Hepatoprotective potential of *Aloe barbadensis* Mill. Against carbon tetrachloride induced hepatotoxicity. J. Ethnopharmacol, 2007; 111: 560-66.
46. Chandan BK, Saxena AK, Shukla S, Sharma N, Gupta DK, Suri KA, et. al Hepato- protective potential of *Aloe barbadensis* Mill. Against carbon tetrachloride induced hepatotoxicity. J. Ethnopharmacol, 2007; 111: 560-66.
47. Xiao K, Xuan L, Xu Y, Bai D, Zhong D, Wu H et al. Dimeric Stilbene Glycosides from *Polygonum cuspidatum*. European Journal of Organic Chemistry, 2002; (3): 564-68.
48. Jayasekhar P, Mohanan PV, Rathinum K. Hepatoprotectiveactivity of ethyl acetate extract of *Acacia catechu*. Indian J. Pharmacol, 1997; 29:426-28.
49. Roome T, Dar A, Ali S, Naqvi S, Choudhary MI. A study on antioxidant, free radical scavenging, anti-inflammatory and hepatoprotective actions of *Aegiceras corniculatum* (stem) extracts. Journal of Ethnopharmacology 2008; 118: 514-21.
50. Lodhi G, Singh H, Pant K, Hussain Z Hepatoprotective effects of *Calotropis gigantea* extract against carbon tetrachloride induced liver injury in rats, 2009; 59: 89-96.
51. Bhattacharya SK, Ghosal S, Choudhury RK, Sanyal AK. *Canscora decussata* (Gentianaceae) Xanthones. 3.Pharmacological Studies. J. Pharm Sci, 1972; 61(11):1838-40.
52. Czinner E, Hagymasi K, Blazovics A, Kery A, Szo ke E, Lemberkovics E. In vitro antioxidant properties of *Helichrysum arenarium* (L.) Moench. Journal of Ethnopharmacology, 2000; 73(3):437-33.
53. Jafri MA, Subhani MJ, Javed K, Singh S. Hepatoprotective activity of leaves of *Cassia occidentalis* against paracetamol and ethyl alcohol intoxication in rats. J. Ethnopharmacol 1999; 66: 355-61.
54. Rajesh SV, Rajkapoor B, Kumar RS, Raju AK. Effects of *Clausena dentata* (Willd.) M. Roem. Agonist paracetamol induced hepatotoxicity in rats. Pak. J. Pharm. Sci, 2009; 22(1): 90-93.
55. Akintonwa A, Essien AR. Protective effects of *Garcinia kola* seed extract against paracetamol induced hepatotoxicity in rats. Journal of Ethnopharmacology 1990; 29: 207-11.
56. Czinner E, Hagymasi K, Blazovics A, Kery A, Szo ke E, Lemberkovics E. In vitro antioxidant properties of *Helichrysum arenarium* (L.) Moench. Journal of Ethnopharmacology, 2000; 73(3):437-33.
57. Mimica-Dukic N, Popovic M, Jakovljevic V, Szabo A, Gašić O. Pharmacological Studies of *Mentha longifolia* Phenolic Extracts. II. Hepatoprotective Activity. Pharmaceutical Biology, 1999; 37(3): 221-24.
58. Pramyothin P, Samosorn P, Poungshompoon S, Chaichantipyuth C. The protective effects of *Phyllanthus emblica* Linn. extract on ethanol induced rat hepatic injury. J. Ethnopharmacol 2006; 107: 361-64.
59. Akhmedov SG, Tkachenko DA, Kharchenko NS. Pharmacology of flavonoid aglycones of *Scrophularia grossheimi*. Farmakol Toksikol, 1969;32(6):693-94.
60. Faizi S, Siddiqi H, Bano S, Naz A, Lubna, Mazhar K et al. Antibacterial and Antifungal Activities of Different Parts of *Tagetes patula*: Preparation of Patuletin Derivatives Pharmaceutical Biology, 2008; 46(5):309-20.
61. Thabrew MI, Hughes RD. Phytopreparative Agents in the Therapy of Liver Disease. Phytotherapy Research, 1998; 10(6): 461 - 67.
62. Ku KL, Tsai CT, Chang WM, Shen ML, Wu CT, Liao HF. Hepatoprotective Effect of *Cirsium arisanense* Kitamura in Tacrine-Treated Hepatoma Hep 3B Cells and C57BL Mice. The American Journal of Chinese Medicine (AJCM) 2008; 36(2): 355-68.
63. Mahadevan N. Herbal Drug Development for Liver Disorders and Hyperlipidemia. Pharmainfo.net 2007; 5(6): 15-16.
64. Rhiouani H, El-Hilaly J, Israilli Z, Lyoussi B. Acute and subchronic toxicity of an aqueous extract of the leaves of *Herniaria glabra* in rodents. Journal of Ethnopharmacology 2008; 118: 378-86.
65. Lanhers MC, Joyeux M, Soulimani R, Fleurentin J, Sayag M, Mortier F et al. Hepatoprotective and anti inflammatory effects of a traditional medicinal plant of chile, *Puemus boldus*. Planta med 1991; 57 (2): 110-15.
66. Arun M, Asha V. Preliminary studies on antihepatotoxic effect of *Physalis peruviana* Linn. (Solanaceae) against carbon tetrachloride induced acute liver injury in rats. J. Ethnopharmac 2007; 111:110-14.
67. Farah A, Donangelo CM. Phenolic compounds in coffee. Braz. J. Plant Physiol 2006; 18(1): 23-26.
68. Savaa VM, Hungb YC, Blagodarskyc VA, Hongd MY, Huang GS. The liver-protecting activity of melanin-like pigment derived from black tea. Food Research International 2003; 36(5):505-11.