

PERFECTION FROM INCEPTION: STANDARDS FOR BIOCHEMISTRY UNDERGRADUATE CERTIFICATE PRACTICAL

JASPREET KAUR^{1*}, AMIT SAMADHIYA¹, MITHILESH KUMAR SINGH¹, RENU CHANE¹, GITANJALI GUPTA¹,
JASWANT KAUR²

¹Department of Biochemistry, Noida International Institute of Medical Sciences, Gautam Buddha Nagar, Uttar Pradesh, India. ²Department of Biochemistry, NC Medical College and Hospital, Panipat, Haryana, India. Email: j.kaur70@yahoo.com

Received: 27 October 2022, Revised and Accepted: 05 December 2022

ABSTRACT

Objectives: The undergraduate biochemistry practical's are the routine test performed in all the medical laboratories. Few of these have been certified practical by competency-based medical education. This will help the teachers access the depth of theoretical and practical knowledge as well as judge their communication skills. To detect the basic concept of quality control in the biochemistry laboratory.

Methods: Quantitative analysis was conducted with a purposive sample, at the Noida International institute of medical sciences by the department of biochemistry. 150 students performed the practical on serum albumin in two batches after the demonstration by the faculty. The results were collected through Google forms. The mean, SD, coefficient of variation, and bias were calculated.

Results: Both batches showed significant improvement in repeating the practical. Batch a performance was markedly improved after disclosing the optical density of the standard.

Conclusion: Teaching basic quality standards used in the biochemistry laboratory and emphasizing the preanalytical errors made during the 1st year of practical's, markedly improved the performance.

Keywords: Competency-based medical education, Quality control.

© 2023 The Authors. Published by Innovare Academic Sciences Pvt Ltd. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>) DOI: <http://dx.doi.org/10.22159/ajpcr.2023v16i3.46683>. Journal homepage: <https://innovareacademics.in/journals/index.php/ajpcr>

INTRODUCTION

The Medical Council of India visualized that the Indian Medical Graduate, at the end of the undergraduate training program, should be able to recognize "health for all" as a national goal and should be able to fulfill his/her societal obligations toward the realization of this goal. To fulfill the mandate of the undergraduate medical curriculum which is to produce a clinician, who understands and can provide preventive, promotive, curative, palliative, and holistic care to his patients, the curriculum must enunciate the competencies the student must impart and must have learned, with clearly defined teaching-learning strategies and effective methods of assessment [1]. It is expected for undergraduates to practice evidence-based medicine. Laboratory medicine is taking the lead and becoming the core specialty in understanding and delivering better preventive, promotive, curative, palliative, and holistic care. To provide high-quality care at minimal cost, educational institutes have to be taken across the continuum of medical education [2]. Competency-based medical education (CBME) curriculum, Objectives of the Indian Graduate Medical Training Programme clause 3.1.11 includes medical graduate objectives as "Demonstrate ability to choose the appropriate diagnostic tests and interpret these tests based on scientific validity, cost-effectiveness, and clinical context" [3]. Medical graduates have recently been allowed to authorize the investigations of basic laboratory setups [4]. The spectrum of investigations performed in a basic laboratory setup comprises routine biochemistry, hematology, and microbiology. These routine investigations are very crucial in determining the overall health management of an individual. A false report may result in a missed diagnosis, under or over-treatment, and delayed medical care. In the CBME curriculum, the biochemistry lab test has 24 competencies, out of which five competencies are to be certified. The students have to perform independently and the holistic knowledge of these competencies is judged according to the precision and accuracy of the results, serum albumin is one of the

certified competencies [5]. Laboratory investigation results vary as per test performance characteristics. It becomes an imperative additional objective to make the students understand the acceptable variations in their test results. Quality in laboratory medicine is assurance that total testing process (TTP) is performed correctly and the result is reliable. "Brain-to-brain loop" was used to describe TTP by Lundberg several years ago. He emphasized the 9 steps - Ordering, Collection, Identification, Transportation, Separation, Preparation, Analysis, Reporting, and Action [6]. Now the analytical techniques, reagents and instruments, information technology, quality control, and quality assurance has improved and led to a marked reduction in error. The recent evidence suggests that most errors in the loop are due to pre and post-analytical steps [7].

Hence, it is required that MBBS Undergraduates should learn the pre-analytical, analytical, and post-analytical skills appropriately so that they can handle the basic biochemical investigation independently after completion of the MBBS curriculum along that they should have the concept of the quality indicators like - mean, SD and coefficient of variation (CV) while performing laboratory practical's.

METHODS

This study was conducted at the Noida International institute of medical sciences by the department of biochemistry. Ethical clearance was granted by the institutional research ethics committee at the Noida international institute of medical sciences. 150 MBBS 1st-year students are divided into two batches, A and B. After the demonstration class, the practical test was conducted. After the test, a Google form link was sent to a college student group. Optical density (OD) values and concentration of test samples were collected by the colorimeter. For standardizations of instruments, we have run duplicate samples. Collected data were analysed for Mean, SD, and CV. Bias%. Students who submitted investigation results that were compared with true value

and outside acceptable limits were interviewed and possible errors were noted. The next demo session was arranged for both batches and potential errors were explained and told to perform the test again to all the students. Test results were collected for both batches and compared for any significant difference between results within the two groups and with previous practical results. Test samples and standard samples were run on the fully automatic trans Asia Bio-Medicals analyser Erba chem 200™ to minimize the systemic error. All students performing the test with results within acceptable limits would obtain a certificate marking the performance satisfactory as per NMC standards.

The allowable difference from the true values indicates the total allowable error which is taken from clinical laboratories improvement act (CLIA). The systemic difference between the results obtained by the lab test method and the results obtained from an accepted reference method is known to be biased which is calculated from the external quality assurance (EQA) through the formula:

$$\text{Bias} = (\text{Lab Mean} - \text{Group Mean}) \times 100/\text{group mean}$$

Whereas the analytical CV of the test method is known to be the CV which is calculated from 5 months of IQC data [8].

$$\text{CV}\% = (\text{Standard Deviation}/\text{Laboratory Mean}) \times 100\%$$

Hence, the total allowable error permitted by CLIA is based on medical equipment, and available analytical methods and is compatible with proficiency testing expenditure. Our target is Total Error < Total Allowable Error.

Hence, we conclude that practical skills play a pivotal role in delivering successful patient healthcare. Practical skills judge the competency of the performer and hence the reinforcement of the skill is a must. Therefore, certain practical has been certified [9].

Statistical analysis

All statistical analysis was performed using SPSS Version 20 software. Variables were presented as Mean±SD, CV% for quantitative data, and percentage for qualitative data. The Chi-square test was used to estimate the statistical significance of differences observed between the groups. $p < 0.05$ was taken as statistically significant.

RESULTS

150 MBBS 1st-year students are divided into two batches, A and B. Detailed demonstration class was conducted before the practice for both batches. Results were collected and compared on the basis of the criteria given below: -

Target value	5.6 mg/dL	Standard OD	0.17
Tea	15% or 0.3 mg	Accepted Range of Std OD	0.15–0.19
Standard conc.	3 g/dL	Acceptable Test sample results	5.3–5.9 mg/dL

*TEA: Total allowable error, OD: Optical density

Table 1 shows the comparison between both groups after the first and second demonstrations. Test values of Batch A and Batch B students after the first and second demo practical compared to see how many students performed the test within an acceptable range of test value, that is, 5.3–5.9. It was observed that Group A Mean±SD value in Demo 1 was 5.5±0.6 while in demo 2 5.5±0.2. A further account in Group B has shown Mean±SD values in demo 1 and demo 2 5.3±0.8 and 5.5±0.3, respectively. It has been observed that SD and CV% markedly decreased after the second demonstration in both batches.

Test values of Batch A and Batch B students after the second demo practical compared to see how many students performed the test within an acceptable range of test value, that is, 5.3–5.9. 56 out of 70

students of batch A performed the test within range while 14 out of 70 students performed outside the test value range. 39 out of 73 students of batch B performed the test within the range while 34 out of 73 students performed outside the test value range. A contingency table was prepared and the Chi-square test was applied to know the significance of the difference between the two batches as indicated by Table 2. The Chi-square statistic is 11.31. The P value is 0.0007. The result is significant at $p < 0.05$.

List of common errors identified during class practical

1. The most common error observed during the practical was pipetting error. About 25% of the total erroneous results were due to pipetting errors
2. Carryover effect - cuvette not washed by a few students after taking the OD of higher concentration solution
3. Short incubation period - Few students take out test tubes earlier than the stated incubation period
4. Wrong OD reading/Wrong labeling of test tubes - Students interchanged the reading while taking notes from the calorimeter
5. Wrong sample - Students took the water as a sample for a test.

DISCUSSION

The MBBS curriculum has been restructured by NMC to meet the objectives for MBBS graduates. Competency-based education has been defined as an outcome-based approach to the design, implementation, assessment, and evaluation of a medical education program using an organizing framework of competencies. CBME has added a different perspective on the assessment of MBBS students since it plays a crucial role in assessing the implementation of the curriculum. It is not an all or none phenomenon, rather it is incremental. To judge the perfection of the technique and the depth of knowledge, certain

Table 1: Comparison between the results after the first demonstration and second demonstration in both groups

	Group A		Group B	
	Demo 1	Demo 2	Demo 1	Demo 2
Mean	5.5	5.5	5.3	5.5
SD	0.6	0.2	0.8	0.3
CV	0.10	0.05	0.16	0.05

Table 2: Contingency table

	Within range (5.3–5.9)	Out of range	
Batch A	56	14	70
Batch B	39	34	73
Column Total	95	48	143
			(Grand Total)




Fig. 1: Distribution of students with test results within range and out of range

